

Automatic scrubber

GANSY 25 (G25)



IPC Eagle

6.6 Gallon, 20" Brush Drive

[NEW]

Great Productivity



Large solution tank capacity in minimum external space



Solution control with automatic stop (Solenoid valve)



Extensive running time



Brush control with automatic delayed stop



Reusable water system



G25



Automatic scrubber G25



High Performance



CFS (Center Flow System)



CWS (Constant Weight System)



High quality and performance vacuum motor



Exclusive squeegee system assures high performance at low cost

Ergonomics, User Friendly



Great maneuverability due to optimum weight distribution



Easy to transport



Designed to assure minimum noise levels



Great working visibility



Adjustable handle bar



Easy to use control panel



Removable solution tank



Removable recovery tank



Battery level indicator




On board charger



External on-board battery charger plug

Low Maintenance Costs



Inlet and outlet filters for maximum solution tank protection



Brush replacement without tools



Squeegee blade can be used on 4 sides before replacement



Front cover can be tilted



Squeegee assembly and blades replacement without tools



Hoses removable without tools



Battery removable without tools



Easy access to internal compartments



Many components removable without tools



Easy access to electric compartment



Automatic scrubber G25



Durable Construction



Tanks and surrounding body in injection molded polypropylene



Panel control switches protected against water and humidity



Oil bath reduction gear box



Squeegee system designed to absorb harsh impact

OPTIONAL ACCESSORIES



Front bin



Rear container



Paper towel holder



Rear waste bin

Emulsion oil squeegee blade kit



Standard on board battery charger



Technical Data

		C 45 Electric	B 45 Battery
Scrubbing width	Inch/mm	20"/500	20"/500
Squeegee width	Inch/mm	29"/730	29"/730
Number of brushes		1 (disc)	1 (disc)
Solution tank capacity	Gal/l	6.6/25	6.6/25
Recovery tank capacity	Gal/l	6.6/25	6.6/25
Power supply		110V - 60 Hz	12V
Weight (net)	Lbs/Kg	82/38	82/38
Length	Inch/mm	43"/1090	43"/1090
Width	Inch/mm	21"/525	21"/525
Height	Inch/mm	37"/950	37"/950

Automatic scrubber G25



Detergent delivery and delayed brush autostop

The flow of detergent starts and stops with the brush drive, avoiding waste. Brush rotation stops after three seconds and starts up again when the handlebar control is pressed. Preserves the brush and protects the surface to be cleaned. Adjustable handle height.



Reusable water system

The detergent and waste water tanks can be removed and transported. 6.6 Gal/25 liters capacity each. Easy to fill, empty and clean. Inflow and outflow filters on the detergent tank protect the machine's internal components



CWS (Constant Weight System)

Self-levelling brush with gas piston, the head floats on the floor guaranteeing maximum cleaning efficiency at all times. 20" (50 cm) brush provides the washing power of 57.000 bristles.



Easy to transport

Easy to transport. Weighs less than 82 Lbs (38 Kg) without battery. Can be stored in a small area:

- Length 43" / 1090 mm
- Width 21" / 525 mm
- Height 37" / 950 mm

Hoses, battery and other components can be removed without tools. Easy to assemble and disassemble.



High performance washing and vacuum motor

High quality vacuum motor and performance due to the larger internal manifold. Exclusive IPC Gansow squeegee guarantees high performance and low cost. Rear suction hose with built-in siphon. Prevents drops of water on the ground when the vacuum motor is turned off.



Extensive running time

Long running time at 12 V with batteries up to 115 Ah (100 ah Gel) allowing more than 1.5 hour of constant work. About four full tanks and up to 18,000 sq. ft. per charge.



IPC Eagle

IPC Eagle Corporation Sales and Service Provided by:

CleanCraft Products, Inc.
800-525-3261
www.cleancraft.com